

LG-R600/R800/R1000/R1200/70H

LED Ultra thin hoisting panel lamp

Product features and Applications

1. The Features of Led Panel Lighting:

Super large diameter large power panel lamp

Lifespan: more than 50,000 hours;

High Luminous efficiency;

Fast light brightening, no delay and flicker;

Energy-saving: saving 80% than the ordinary lamp;

Green, Health and Environmentally friendly protection, more comfortable for our vision.

2. The Advantages of Led Panel Lighting:

Passed CE RoHS and UL certification;

No mercury, No radiation, No UV;

Easy to install and maintain, no subsidiary fixture;

Low consumption and high conversion.


3. The application of Led Panel Lighting:

Shopping mall, supermarket, hotel lighting, office lighting etc.;

Family house, kitchen, warehouse, bathroom, corridor, garage;

Commercial show windows and bars, subway, airport, exhibition hall, gymnasium etc..

Product color display



Product picture



Product features




<p>SIOSUN: Brand Cree, Epistar, Sumsung, Philips led chip. High quality, high performance.</p> <p>Others: Cheap led chip, contained the deleterious substance, break easily.</p>	<p>SIOSUN: PCB with large number of leds covers overall Back plate, and ensured 100% no dark area.</p> <p>Others: Only one stand, not safe enough, and the light is easy to collapse.</p>
<p>SIOSUN: Brand Lfud, Boke, MEAN, WELL led driver, low temperature, Stable current and voltage.</p> <p>Others: Inferior LED driver, high temperature, burns the light easily.</p>	<p>SIOSUN: Easy and quick installation. Triangle holder offers a hard and steady installation.</p> <p>Others: Only one stand, not safe enough, and the light is easy to collapse.</p>
<p>SIOSUN: Optical grade PC diffuser plate, non-yellowing, >98% light transmission.</p> <p>Others: PS diffuser plate, <70% light transmission, easy to broken and turn yellow.</p>	<p>SIOSUN: light-declining<1%/3000 hrs Soft light (the led cannot be saw by eye).</p> <p>Others: light-declining>2%/3000 hrs the lights turn to dark after a few years.</p>

Product Performance:



LED	PF ≥0.9	CRI >80	110°
IP20	15 000h Lifetime	x12 500 ON/OFF	230V~ 50Hz



Product selection

Model No.	Power (W)	Input Voltage	CCT(K)	CRI	lumen Flux	Beam Angle	LED Chip	Product Size	Net Weight	Gross Weight	Dimming	Color	Warranty
LG-R600-70H	36	200-245V	2700	80+	120Lm/w	120°	samsung 2835	Φ 600*70mm	7.5Kg	8.3Kg	Yes	White Black	5years
LG-R800-70H	80	200-245V	3000	80+	120Lm/w	120°		Φ 800*70mm	9.5Kg	10.5Kg	Yes	White Black	5years
LG-R1000-70H	100	200-245V	4000	80+	110Lm/w	120°		Φ 1000*70mm	11.5Kg	12.4Kg	Yes	White Black	5years
LG-R1200-70H	120	200-245V	6500	80+	110Lm/w	120°		Φ 1200*70mm	13Kg	14Kg	Yes	White Black	5years

Product application diagram

